

GE
Security



Stylish

Genesis Series® Emergency Signals



imagination at work

signals

with style



Model of discretion:
Slim and discreet,
Genesis horn-strobes
complement any
decor (shown
actual size).

The award-winning *Genesis* line of products represents the rebirth of fire alarm signals with looks, features, and performance benefits designed with your project in mind. Wall strobes, horns, and chimes about the size of a deck of playing cards offer a discreet alternative to bulky devices, while speakers and ceiling models with clean modern lines blend inconspicuously with their surroundings.

Signaling on-demand

Though designed for discretion, *Genesis* signals are also engineered to command attention. Wall-penetrating high dB output and patented *FullLight* strobe technology immerse the protected area with levels of light and sound that simply can't be ignored – all in exchange for the lowest current demands of any device in their class.

Genesis brings on-demand signaling to every application with an unparalleled range of field-configurable options: horns and chimes with high/low dB output settings; speakers with multiple wattage tap selections; and strobes with selectable candela output and flash rate – options that put you in the



Genesis output levels are changed by simply opening the device and sliding the selectors to the desired settings. Settings remain visible through small windows on the device even after the cover is closed.



Genesis wall and ceiling signals may be ordered with optional "FIRE" markings. Models are available with housings in fire alarm red or architecturally pleasing white.



Optional trim plates for wall horns, chimes, and strobes are ideal for covering openings left behind during retrofits; red or white models are available with or without "FIRE" marking.



driver's seat when time is short, budgets slim, and manpower at a premium. It also means fewer parts to stock, less inventory to worry about, and the flexibility to meet changing demands – on the fly – without having to reinstall equipment or order more parts!

Innovative features

With *Genesis* horn-strobes you also save on wiring costs, thanks to exclusive technology that delivers independent horn control over just a single pair of wires. This important and highly desirable feature makes it possible to silence horns while the strobes remain active.

Application flexibility

Whether you're designing for a new landmark structure, or simply retrofitting a local strip mall, competitively-priced *Genesis* signals bring value, good looks, and installation flexibility to every application. Contact GE Security today to learn how your signal solutions can be the model of discretion.



Ceiling models are suitable and fully listed for wall mount applications.



The signal master module brings precision synchronization and independent horn control to *Genesis* applications. Piggyback models (left) and one-gang mount models (right) are available.



The Signature Series® CC1S module offers precision synchronization for applications where controlling strobe flashes across multiple notification appliance circuits is required.



The *Genesis* "Running Man" icon meets code requirements, overcomes language barriers, and eliminates lens marking headaches. Optional "FIRE" markings are also available.

Canada
T 519 376 2430
F 519 376 7258

U.S.
T 888-378-2329
F 866-503-3996

Asia
T 852 2907 8108
F 852 2142 5063

Australia
T 61 3 9259 4700
F 61 3 9259 4799

Europe
T 32 2 725 11 20
F 32 2 721 86 13

Latin America
T 305 593 4301
F 305 593 4300

www.gesecurity.com

© 2006 GE Security Canada
All Rights Reserved

EST, Signature Series, and Genesis
Series are registered trademarks of
GE Security, Inc.

Printed in Canada.

A complete line engineered to deliver innovative features and superb output.



Strobes

- Selectable 15-177 candela output with patented *FullLight* technology
- Selectable current-saving temporal flash for private mode signaling
- Precision synchronization with accessory module
- Wall models: strobe, horn-strobe (shown), speaker-strobe, chime-strobe
- Ceiling models: strobe, horn-strobe, speaker-strobe



Horns

- High/low dB output
- Wall-penetrating alternating frequency
- Coded or non-coded operation
- Independent horn control over a single pair of wires
- Wall models: temporal horn, steady horn, horn-strobe
- Ceiling models: horn-strobe (shown)



Speakers

- Four selectable wattage taps
- Sealed back construction for durability and improved audibility
- Wall models: speaker, speaker-strobe (shown)
- Ceiling models: speaker, speaker-strobe



Chimes

- High/low dB output
- Temporal output or 60 strokes per minute
- Coded or non-coded operation
- Wall models: chime, chime-strobe (shown)

